

Table S1. MAP Confirmed Patient Details

ID	Number of Previous CS	Place of Placenta	Aliasing	Bulging	Lacuna	Lack of Sonolucent Area	Hysterectomy	Special Procedures	ICU Admission	Bladder Ruptur	Transfusion	Hospital Days	Weeks of CS	Emerg/Elective	Causes of CS	Newborn Apgar
1	>=3	Previa	√	√	√	√	√	×	√	√	√	6	32+5	Emergency	Bleeding	7-8 NICU admission
2	2	Previa	√	√	√	√	√	×	√	×	√	6	35	Elective	Elective	8-9
3	>=3	Ant	√	√	√	√	√	×	×	×	√	5	24+6	Elective	Sever Oligo + Anomaly	0-0
4	2	Previa	√	×	√	√	×	√	×	×	√	2	36	Elective	Elective	9-10
5	1	Previa	√	×	×	√	√	×	√	×	√	7	31+6	Emergency	Labor Pain	3-7 NICU admission
6	2	Previa	√	×	√	√	√	×	√	Ureter injury	√	8	27	Emergency	Bleeding	5-7 NICU admission
7	>=3	Previa	√	√	√	√	×	√	×	×	×	2	37	Elective	Elective	9-10
8	2	Previa	√	√	√	√	√	×	×	×	√	6	36	Elective	Elective	9-10
9	2	Previa	√	√	√	√	×	√	√	×	√	3	35+5	Elective	Elective	9-10
10	>=3	Previa	√	√	√	√	√	×	√	×	√	6	35+2	Elective	Elective	8-9
11	1	Previa	√	√	√	√	√	×	√	√	√	4	31+1	Emergency	Bleeding	7-8 NICU admit
12	1	Previa	√	×	√	√	√	×	√	×	√	6	37+1	Elective	Elective	9-10
13	>=3	Previa	√	√	√	√	√	×	√	×	√	6	35+3	Emergency	Labor Pain	7-8 NICU
14	1	Previa	√	√	√	√	×	√	×	×	√	2	35+2	Elective	Elective	8-9
15	2	Previa	√	√	√	√	√	×	√	×	×	7	21+4	Elective	IUFD	IUFD

16	1	Previa	√	×	√	√	√	×	√	×	√	4	34+5	Emergency	Bleeding	6-8 NICU admission
17	1	Previa	√	√	√	√	×	√	×	×	√	4	35+5	Elective	Elective	8-9
18	2	Previa	√	×	√	√	×	√	√	×	×	4	36	Emergency	Labor Pain	9-10
19	2	Previa	√	×	√	√	×	√	√	×	√	4	17	Emergency	Fetal anomaly	0-0
20	2	Previa	√	×	√	√	×	√	√	×	√	3	36+1	Elective	Elective	9-10
21	>=3	Previa	√	√	√	√	√	×	√	×	√	4	35+6	Elective	Elective	5-8 NICU
22	2	Previa	√	×	×	√	×	√	×	×	√	3	17	Elective	Missed abortion	0-0
23	2	Previa	√	×	√	√	√	×	×	×	√	3	34	Emergency	Bleeding	6-7 NICU admission
24	1	Previa	√	√	√	√	√	×	√	√	√	7	36+6	Elective	Elective	9-10
25	2	Ant	√	√	√	√	√	×	×	×	√	4	34+6	Elective	Elective	7-8 NICU
26	>=3	Post Lateral	√	√	√	×	√	×	√	×	√	4	36+3	Elective	Elective	9-10
27	>=3	Ant	×	√	√	×	√	×	√	×	√	5	35+4	Emergency	Labor Pain	8-9
28	1	Previa	√	√	√	√	√	×	√	√	√	7	37+1	Elective	Elective	9-10
29	>=3	Previa	√	√	√	√	√	×	√	√	√	6	36	Elective	Elective	8-9
30	2	Previa	√	√	√	×	√	×	√	×	√	5	19+6	Elective	Termination due to MAP	0-0
31	2	Ant	√	√	√	×	√	×	√	×	√	4	36+2	Elective	Elective	8-9
32	2	Ant	×	×	√	√	√	×	√	×	√	3	32+4	Emergency	Labor Pain	7-9 NICU
33	>=3	Ant	×	√	×	√	√	×	√	√	√	6	37+1	Elective	Elective	9-10
34	>=3	Ant	√	×	√	√	√	×	√	×	√	5	34+1	Emergency	Labor Pain	6-8 NICU
35	2	Previa	√	√	√	√	√	×	√	√	√	4	34+3	Emergency	Bleeding	2-6 NICU

36	1	Previa	✓	✗	✓	✓	✓	✗	✗	✗	✗	✓	3	36	Elective	Elective	8-9
37	1	Previa	✗	✗	✓	✓	✗	✓	✗	✗	✗	✓	3	37	Elective	Elective	9-10
38	2	Previa	✗	✗	✓	✓	✗	✓	✗	✗	✗	✓	2	33+2	Emergency	Labor Pain	7-8 NICU
39	>=3	Previa	✓	✗	✓	✓	✗	✓	✗	✗	✗	✓	3	36	Elective	Elective	8-9

Note. CS: Cesarean section; ICU: Intensive care unit; NICU: Neonatal intensive care unit; IUFD: Intrauterine fetal death; MAP: Morbidly adherent placenta.

Apgar: At first and 5th minutes

Table S2. Non-map Patient Details

ID	Number of Previous CS	Place of Placenta	Bladder Rupture	Aliasing	Bulging	Lacuna	Lack of Sonolucent Area	Hysterectomy	Special Surgery	ICU Days	Hospital Days	Week of CS	Emerg/Elective	Cuases of CS	Newborn Apgar	
1	2	Anterior	✗	✗	✗	✓	✓	✗	✗	✗	✗	2	38.1	Elective	Elective	9-10
2	1	Posterior	✗	✗	✗	✓	✓	✗	✗	✗	✗	2	35	Emergency	Labor Pain	8-9
3	2	Previa	✗	✗	✗	✓	✓	✗	✗	✗	✗	2	34.1	Emergency	Bleeding	7-8 NICU
4	2	Anterior	✗	✓	✗	✓	✓	✗	✗	✗	✗	2	36	Elective	Elective	8-9
5	1	Anterior	✗	✗	✗	✓	✓	✗	✗	✗	✗	2	36	Emergency	Labor Pain	9-10
6	2	Anterior	✗	✗	✗	✓	✓	✗	✗	✗	✗	2	37	Elective	Elective	9-10
7	>=3	Anterior	✗	✗	✗	✓	✗	✗	✗	✗	✗	2	37.4	Elective	Elective	9-10
8	1	Anterior	✗	✗	✗	✗	✓	✗	✗	✗	✗	2	36	Emergency	Labor Pain	8-9
9	>=3	Anterior	✗	✓	✗	✓	✓	✗	✗	✗	✗	2	36.1	Elective	Elective	8-9
10	1	Anterior	✗	✗	✗	✓	✓	✗	✗	✗	✗	2	37	Elective	Elective	9-10

Note. CS: Cesarean section; ICU: Intensive care unit. Apgar: At first and 5th minutes.